

Page: 1 / 11

Revision nr: 1.0

Issue date: 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes :

766-01-0351S

(Original SDS: Rev 1 2022-04-

06 US 829310)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : HIGH PERFORMANCE EXTREME GREASE
Product code : 8M0208462, 8M0208805, 8M0208806

Document no. : 766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional uses, Consumer use

Use of the substance/mixture : Lubricating grease

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Brunswick Marine EMEA
Parc industriel de Petit-Rechain, Avenue Mercury 8
4800 Verviers - Belgium
T +32 (0)87 32 32 11

bme.compliance@brunswick.com

1.4. Emergency telephone number

Emergency number : 0032 3 575 55 55

This telephone number is available 24 hours per day, 7 days per week.

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Extra phrases : EUH210 - Safety data sheet available on request.

Child-resistant fastening : Not applicable Tactile warning : Not applicable



Page : 2 / 11

Revision nr: 1.0

Issue date : 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes :

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Mineral oil (<3% DMSO)

Note L

The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil-derived substances in Annex I.

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
calcium dodecylbenzenesulphonate	(CAS-No.) 26264-06-2 (EC-No.) 247-557-8	< 2,5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Specific concentration limits:

Substance name	Product identifier	Specific concentration limits
calcium dodecylbenzenesulphonate	(CAS-No.) 26264-06-2 (EC-No.) 247-557-8	(10,5 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c>

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection!. Concerning personal protective equipment to

use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the

doctor in attendance.

Inhalation : Remove casualty to fresh air and keep warm and at rest. In case of doubt or persistent

symptoms, consult always a physician.

Skin contact : Remove contaminated clothing and shoes. Gently wash with plenty of soap and water. In

case of doubt or persistent symptoms, consult always a physician.

Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses,

if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult

always a physician.

Ingestion : Rinse mouth thoroughly with water. Do not induce vomiting without medical advice. Get

medical advice/attention.



Page: 3 / 11

Revision nr: 1.0

Issue date: 06/09/2022

HIGH PERFOI

HIGH PERFORMANCE EXTREME GREASE

Supersedes :

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

Skin contact : May cause skin irritation. The following symptoms may occur: Redness.

Eyes contact : May cause eye irritation. The following symptoms may occur: Redness.

Ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards : Not flammable.

Hazardous decomposition products in case of

fire

: Carbon dioxide. Carbon monoxide. Sulphur oxides. Metallic oxides.

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the

extinguishing fluids by bunding. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

 $breathing\ apparatus.$

Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of waste in

accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel : Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear

recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe dust. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Spilled material may present a slipping hazard.

6.1.2. For emergency responders

For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place.

Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Dam up. Avoid dust formation. Clean-up methods - small spillage:

Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Large spills: scoop solid spill into closing containers. This material and its container must be

disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.



Page: 4 / 11

Revision nr: 1.0

Issue date: 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes:

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe dust. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.

Storage temperature

: ≤45 °C

Heat and ignition sources

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

Special rules on packaging

: Containers which are opened should be properly resealed and kept upright to prevent

Packaging materials

: Keep only in the original container.

7.3. Specific end use(s)

Lubricating grease.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional information

: Recommended monitoring procedures :. Personal air monitoring. Room air monitoring

8.2. Exposure controls

Engineering measure(s)

: Provide adequate ventilation. Organisational measures to prevent /limit releases, dispersion

and exposure. See Section 7 for information on safe handling.

Personal protective equipment

 $: \ \, \text{The type of protective equipment must be selected according to the concentration and} \\$

amount of the dangerous substance at the specific workplace.



Page : 5 / 11

Revision nr: 1.0

Issue date: 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes:

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

00 03 023310)

Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: Impervious gloves.

Nitrile rubber (btt: >8h, >0,3mm). The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of

hazardous substances.

Eye protection : Use suitable eye protection (EN166): Safety glasses. Use splash goggles when eye contact

due to splashing is possible

Body protection : Wear suitable protective clothing

Respiratory protection : Not required for normal conditions of use. In case of insufficient ventilation, wear suitable

respiratory equipment. Half-face mask (DIN EN 140). full face mask (DIN EN 136). Filter type P (EN143). Self-contained open-circuit compressed air breathing apparatus (EN 137). The

filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental

protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Grease. Paste. Gel. Semi-solid.

Colour : light brown.

Odour : petroleum-like odour. Odour threshold : No data available No data available рΗ pH solution : Not available Relative evaporation rate (butylacetate=1) : No data available Melting / freezing point No data available : No data available Freezing point Initial boiling point and boiling range : No data available

Flash point : $> 150 \, ^{\circ}\text{C}$

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability : Non flammable. Vapour pressure : No data available Vapour density No data available Relative density : No data available : < 1000 kg/m3 (25 °C) Density Solubility : Insoluble in water. Partition coefficient n-octanol/water : No data available Kinematic viscosity $> 20,5 \text{ mm}^2/\text{s} (40 °C)$ Dynamic viscosity : No data available

Explosive properties : Not applicable. The study does not need to be conducted because there are no chemical

groups associated with explosive properties present in the molecule.



Page : 6 / 11

Revision nr: 1.0

Issue date: 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes:

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

Oxidising properties : Not applicable. The classification procedure needs not to be applied because there are

no chemical groups present in the molecule which are associated with oxidising

properties.

: Not available

: Not available

Explosive limits : No data available
Particle size : Not available
Particle size distribution : Not available
Particle shape : Not available
Particle aspect ratio : Not available

Particle specific surface area : Not available
Particle dustiness : Not available

9.2. Other information

Particle aggregation state

Particle agglomeration state

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions. Reference to other sections 10.4 & 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Protect from sunlight. See Section 7 for information on safe handling.

10.5. Incompatible materials

Strong oxidizing agents. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Reference to other sections 5.2.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

calcium dodecylbenzenesulphonate (26264-06-2)		
LD50/oral/rat	1086 – 1980 mg/kg	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: No data available	



Page: 7 / 11

Revision nr: 1.0

Issue date: 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes:

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

pH: No data available

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) Carcinogenicity : Not classified (Based on available data, the classification criteria are not met) Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met) STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

HIGH PERFORMANCE EXTREME GREASE		
K	Kinematic viscosity	> 20,5 mm²/s (40 °C)

Other information : Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2 Other information

Other information

: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties

: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

Hazardous to the aquatic environment, short-

term (acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

calcium dodecylbenzenesulphonate (26264-06-2)	
IC50 - Fish [1]	10.8 mg/l (Evnosure time: 96 h - Species: Opcorhypchus mykiss [static])

12.2. Persistence and degradability

HIGH PERFORMANCE EXTREME GREASE	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

HIGH PERFORMANCE EXTREME GREASE		
Partition coefficient n-octanol/water	No data available	



Page: 8 / 11

Revision nr: 1.0

Issue date: 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes:

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

Bioaccumulative potential No bioaccumulation.

12.4. Mobility in soil

HIGH PERFORMANCE EXTREME GREASE	
Mobility in soil	No data available

12.5. Results of PBT and vPvB assessment

HIGH PERFORMANCE EXTREME GREASE	
Results of PBT assessment	Not applicable

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

12.7. Other adverse effects

Other adverse effects : No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC)

: This material and its container must be disposed of as hazardous waste

Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities

The following Waste Codes are only suggestions: 13 08 99* - wastes not otherwise specified

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID		
14.1. UN number	14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping	ng name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		



Page : 9 / 11

Revision nr: 1.0

Issue date : 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes :

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	calcium dodecylbenzenesulphonate
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	calcium dodecylbenzenesulphonate

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na



HIGH PERFORMANCE EXTREME GREASE

Page: 10 / 11

Revision nr: 1.0

Issue date : 06/09/2022

Supersedes :

766-01-0351S

(Original SDS: Rev 1 2022-04-06 US 829310)

Germany

Regulatory reference : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

German storage class (LGK) : LGK 13 - Non-combustible solids

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : B (4) - Weinig schadelijk voor in het water levende organismen

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen –

Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen -

Ontwikkeling

: None of the components are listed

15.2. Chemical safety assessment

Not applicable

SECTION 16: Other information

Abbreviations and acronyms:

ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals BTT = Breakthrough time (maximum wearing time) DMEL = Derived Minimal Effect level DNEL = Derived Mo Effect Level EC50 = Median Effective Concentration EL50 = Median effective level ErC50 = EC50 in terms of reduction of growth rate ErL50 = EL50 in terms of reduction of growth rate EVC = European waste catalogue LC50 = Median lethal concentration LD50 = Median lethal dose LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOEC = No observed effect loading rate NOAEL = No observed adverse effect level	ABM = Algemene beoordelingsmethodiek
DMEL = Derived Minimal Effect level DNEL = Derived No Effect Level ECS0 = Median Effective Concentration ELS0 = Median effective level ErCS0 = ECS0 in terms of reduction of growth rate ErLS0 = ELS0 in terms of reduction of growth rate EWC = European waste catalogue LCS0 = Median lethal concentration LD50 = Median lethal dose LLS0 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect concentration	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit
DNEL = Derived No Effect Level ECS0 = Median Effective Concentration ELS0 = Median effective level ErCS0 = ECS0 in terms of reduction of growth rate ErLS0 = ELS0 in terms of reduction of growth rate EWC = European waste catalogue LCS0 = Median lethal concentration LDS0 = Median lethal dose LLS0 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOEC = No observed adverse effect concentration NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	BTT = Breakthrough time (maximum wearing time)
EC50 = Median Effective Concentration EL50 = Median effective level ErC50 = EC50 in terms of reduction of growth rate ErL50 = EL50 in terms of reduction of growth rate EWC = European waste catalogue LC50 = Median lethal concentration LD50 = Median lethal dose LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed effect concentration NOAEC = No observed adverse effect concentration	DMEL = Derived Minimal Effect level
EL50 = Median effective level ErC50 = EC50 in terms of reduction of growth rate ErL50 = EL50 in terms of reduction of growth rate EWC = European waste catalogue LC50 = Median lethal concentration LD50 = Median lethal dose LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOEL = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEC = No observed adverse effect concentration	DNEL = Derived No Effect Level
ErCS0 = ECS0 in terms of reduction of growth rate ErLS0 = ELS0 in terms of reduction of growth rate EWC = European waste catalogue LCS0 = Median lethal concentration LDS0 = Median lethal dose LLS0 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed adverse effect concentration NOAEC = No observed adverse effect concentration	EC50 = Median Effective Concentration
ErL50 = EL50 in terms of reduction of growth rate EWC = European waste catalogue LC50 = Median lethal concentration LD50 = Median lethal dose LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed adverse effect concentration NOAEC = No observed adverse effect concentration	EL50 = Median effective level
EWC = European waste catalogue LC50 = Median lethal concentration LD50 = Median lethal dose LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEC = No observed adverse effect level	ErC50 = EC50 in terms of reduction of growth rate
LC50 = Median lethal concentration LD50 = Median lethal dose LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEC = No observed adverse effect level	ErL50 = EL50 in terms of reduction of growth rate
LD50 = Median lethal dose LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	EWC = European waste catalogue
LL50 = Median lethal level NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	LC50 = Median lethal concentration
NA = Not applicable NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	LD50 = Median lethal dose
NOEC = No observed effect concentration NOEL: no-observed-effect level NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	LL50 = Median lethal level
NOEL: no-observed-effect level NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	
NOELR = No observed effect loading rate NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	NOEC = No observed effect concentration
NOAEC = No observed adverse effect concentration NOAEL = No observed adverse effect level	NOEL: no-observed-effect level
NOAEL = No observed adverse effect level	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
1 4 6 6 4 4 6 4 4 6 4 6 4 6 4 6 4 6 4 6	NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified	N.O.S. = Not Otherwise Specified



Page: 11 / 11

Revision nr : 1.0

Issue date: 06/09/2022

HIGH PERFORMANCE EXTREME GREASE

Supersedes :

766-01-0351S (Original SDS: Rev 1 2022-04-06 US 829310)

OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
TWA = time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the

datasheet

: European Chemicals Agency. SDS supplier, CONCAWE, LOLI.

Training advice : Training staff on good practice.

Other information : Classification - Assessment method: CLP Calculation method (Article 9).

Full text of H- and EUH-statements:

Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.